



The Sandgate is a popular IP65 White/Opal post top with a traditional feel.

Manufactured with the latest High Power LEDs from Osram and featuring a premium Osram Driver.

Options include Mini Photocell, Dali and spigot size.

Sandgate 60W - LED Post Top

Amenity Lighting



Features


- LED rating 7,752lm (4000K & 6000K).
- LED rating 6,558lm (3000K)
- Luminaire flux 5,775lm (4000K & 6000K).
- Luminaire flux 4,886lm (3000K)
- Total wattage 60W.
- -20 to +40°C operating temperature.
- LED life span > 100,000hrs.
- Osram LED and Osram Driver.
- Easy access to LED and Driver via a removable head.
- Options include Mini Photocell, Dali and spigot size.
- Manufactured from UV stabilised polycarbonate.
- Prismatic refactor inside for high uniformity.

Applications

- Car Parks
- Retail Parks
- Walk Ways
- Parks & Gardens
- Security
- Amenity Areas

www.exteriorlights.co.uk

01689 606342



Specifications

Sandgate 60W

| Item Number | Description | Light Source | LED Rating (lm) | Total Wattage (W) | CCT(K) | CRI | Voltage (VAC) | Driver Current (mA) | Luminaire Flux (lm) | Luminaire Efficacy (lm/W) | Kg | Unit Colour | Spigot Size (mm) |
|--|---|--------------|-----------------|-------------------|--------|-------|---------------|---------------------|---------------------|---------------------------|----|-------------|------------------|
| Standard - 76mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-00W-76 | Sandgate-60W-LED-AC-6K-Std-White-76mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 76 |
| AL60-A7N-00W-76 | Sandgate-60W-LED-AC-4K-Std-White-76mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 76 |
| AL60-A7W-00W-76 | Sandgate-60W-LED-AC-3K-Std-White-76mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 76 |
| Standard - 60mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-00W-60 | Sandgate-60W-LED-AC-6K-Std-White-60mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 60 |
| AL60-A7N-00W-60 | Sandgate-60W-LED-AC-4K-Std-White-60mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 60 |
| AL60-A7W-00W-60 | Sandgate-60W-LED-AC-3K-Std-White-60mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 60 |
| Standard - Mini Photocell - 76mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-04W-76 | Sandgate-60W-LED-AC-6K-Std-M/Photocell-White-76mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 76 |
| AL60-A7N-04W-76 | Sandgate-60W-LED-AC-4K-Std-M/Photocell-White-76mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 76 |
| AL60-A7W-04W-76 | Sandgate-60W-LED-AC-3K-Std-M/Photocell-White-76mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 76 |
| Standard - Mini Photocell - 60mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-04W-60 | Sandgate-60W-LED-AC-6K-Std-M/Photocell-White-60mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 60 |
| AL60-A7N-04W-60 | Sandgate-60W-LED-AC-4K-Std-M/Photocell-White-60mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 96 | 5 | White | 60 |
| AL60-A7W-04W-60 | Sandgate-60W-LED-AC-3K-Std-M/Photocell-White-60mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 60 |

Specifications

Sandgate 60W

| Item Number | Description | Light Source | LED Rating (lm) | Total Wattage (W) | CCT () | CRI | Voltage (VAC) | Driver Current (mA) | Luminaire Flux (lm) | Luminaire Efficacy (lm/W) | Kg | Unit Colour | Spigot Size (mm) |
|---------------------------|--|--------------|-----------------|-------------------|---------|-------|---------------|---------------------|---------------------|---------------------------|----|-------------|------------------|
| Dali - 76mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-20W-76 | Sandgate-60W-LED-AC-6K-Dali-White-76mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 82 | 5 | White | 76 |
| AL60-A7N-20W-76 | Sandgate-60W-LED-AC-4K-Dali-White-76mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 82 | 5 | White | 76 |
| AL60-A7W-20W-76 | Sandgate-60W-LED-AC-3K-Dali-White-76mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 76 |
| Dali - 60mm Spigot | | | | | | | | | | | | | |
| AL60-A7C-20W-60 | Sandgate-60W-LED-AC-6K-Dali-White-60mm | LED | 7,752 | 60 | 6K | Ra>70 | 220-240 | 700 | 5,775 | 82 | 5 | White | 60 |
| AL60-A7N-20W-60 | Sandgate-60W-LED-AC-4K-Dali-White-60mm | LED | 7,752 | 60 | 4K | Ra>70 | 220-240 | 700 | 5,775 | 82 | 5 | White | 60 |
| AL60-A7W-20W-60 | Sandgate-60W-LED-AC-3K-Dali-White-60mm | LED | 6,558 | 60 | 3K | Ra>80 | 220-240 | 700 | 4,886 | 81 | 5 | White | 60 |

Legend: **M/Photocell** = Mini Photocell. **3K**= Warm White(3000K) **4K** = Neutral White (4000K). **6K** = Cool White (6000K).